

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope]@tetrattech.com; [Nonresponsive based on revised scope]@tetrattech.com]; R3 Clients[R3_Clients@epa.gov]
From: Poff, Kevin[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=CE5DA896C6A74A6A89F5D9E64B083492-KPOFF]
Sent: Wed 9/23/2020 5:46:58 PM (UTC)
Subject: CT9013 Shiloh soil samples RAS 49136
[CT9013 Shiloh Church Final Clients Notification.pdf](#)

Good Afternoon Christine,

In regards to CT9013 Shiloh RAS 49136 soil samples sampling 9/28/20, a separate notification will be sent to the samplers from SMO with the CLP RAS Laboratory assignment for all the parameters listed within the ARF. If you have any questions regarding the RAS, please contact J. Burman at 410-305-2743. Please follow the directions for the notification of the sample shipment for the RAS-CLP case

Thank you very much and have a great day!!

Kevin Poff
Chemist
USEPA Environmental Science Center
701 Mapes Road
Fort Meade, MD 20755
(410) 305-2938 (W)
(410) 305-3009 (F)
Poff.kevin@epa.gov